Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		optic\$ with fiber	US-P6PUB: USPAT; EPO: JPO: DERWENT : IBM_TD8	OR	ON	2003/01/14 08:08
L1	97	(multimode or multi?mode or (multi near3 mode) or (multiple near3 mode)) and (optic\$4 with (fiber or waveguide)) and (constant\$2 with (absor\$ or attenuat\$ or loss) with (length or distance))	US-P6PUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/02/02 09:58
L2	36	1 and core and clad\$4	IBM_TDB US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2005/02/02 09:04
L3	254	(singlemode or single?mode or (single near3 mode)) and (optic\$4 with (fiber or waveguide)) and (absor\$ with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/02/02 09:38
L4	97	3 and core and clad\$4	IBM_TDB US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2005/02/02 09:08
L5	439	(singlemode or single?mode or (single near3 mode) or monomode or mono?mode or (mono near3 mode)) and (optic\$4 with (fiber or waveguide)) and ((absor\$ or attenuat\$) with sensor) and (length or distance)	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 09:44
L6	167	5 and core and clad\$4	US-P6PUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/02 09:39
L7	1239	(multimode or multi?mode or (multi near3 mode) or (multiple near3 mode)) and (optic\$4 with (fiber or waveguide)) and ((absor\$ or attenuat\$ or loss\$2) with (uniform\$3 or constant or control\$5 or compensat\$)) and (length or distance) and core and clad\$4	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/02/02 10:00
L8	186	(multimode or multi?mode or (multi near3 mode) or (multiple near3 mode)) and (optic\$4 with (fiber or waveguide)) and ((absor\$ or attenuat\$ or loss\$2) with (uniform\$3 or constant or control\$5 or compensat\$) with (length or distance)) and core and clad\$4	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/02 10:01
S1	1358	(385/12).CCLS.	US-PGPUB: US-PGPUB: USPAT; USOCR; EPO: JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 09:22

S2	2062	(385/100).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:22
S3	225	(385/106).ca.s.	US-PGPUB; USPAT; USOCR: EPO; JPO; DERWENT	OR	OFF	2004/07/28 09:22
S4	1147	(385/141).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 09:23
55	673	(385/142).ca.s.	US-PGPUB: USPAT: USOCR; EPO: JPO: DERWENT:	OR	OFF	2004/07/28 09:23
S6	356	(385/144).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:23
57	825	(385/122).CCL.S.	US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT : IBM_TOB	OR	OFF	2004/07/28 09:23
58	2419	(385/123).CQ.5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:24
59	541	(385/126).ca.s.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/07/28 09:24
S10	822	(385/127).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/07/28 09:24

S11	804	(385/128). <i>CO</i> L.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 09:25
512	778	(436/527).CQLS.	US-PEPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2004/07/28 09:25
513	998	(436/805).CCLS.	IBM_TOB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TOB	OR	OFF	2004/07/28 09:26
S14	1862	(356/73.1).ca.s.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:27
S15	1485	(356/445).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 09:28
516	617	(250/227.14).ca.s.	US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT;	OR	ÖFF	2004/07/28 09:28
S17	170	(250/227.18).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:28
S18	170	(324/534).cals.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/07/28 09:28
S19	254	(324/544).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2004/07/28 09:29
520	3	("5274734" "5841926" "6498888") PN.	USPAT	OR	ON	2004/07/28 10:45

521	846	(340/605).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/07/28 14:03
522	8	(("5995686") or ("5572618") or ("4560248") or ("4881793")).PN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/28 14:06
S23	8117	(multimode or (multi?mode) or (multi adj mode)) with fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 16:00
S24	315	S23 and length and (attenuat\$ with (constant\$ or maintain\$ or level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; ; IBM_TDB	OR	ОИ	2004/07/28 14:09
S25	147	524 and core and clad\$4 and (refract\$ near4 ind\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 14:09
S26	58	S23 and (different\$3 with mod\$2 with attenuat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/07/28 15:16
S27	45	S23 and (different\$3 with mod\$2 with absor\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 15:51
.S28	1613	((multimode or (multi?mode) or (multi near4 mode)) with fiber) and ((length or distance) with (power or attenuat\$ or absor\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; ; IBM_TDB	OR	ON	2004/07/28
S29	85	((multimode or (multi?mode) or (multi near4 mode)) with (fiber or waveguide)) and ((length or distance) with (power or attenuat\$ or absor\$) with constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 16:03
530	572	(absor\$ and evanescen\$) and ((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	20	2004/07/28

S31	524	(((((((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))) and distribut\$) and absor\$) and compensat\$) and length) and (refract\$ near index)) and (diameter or radius)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/07/28 16:53
532	168	((((attenuat\$ or absor\$5 or (power with loss)) with (uniform\$ or constant)) same (optic\$2 with fiber)) and (length or distance)) and (multimode or multi?mode or (multi adj mode))	IBM_TDB US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2004/07/28 17:09
S33	137	((power with loss) with (uniform\$ or constant)) same (optic\$2 with fiber)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/28 16:53
534	42	((multimode or multi?mode or (multiple with mode)) with optic\$4 with fiber) and ((even\$2 or constant\$2 or uniform\$3) with mod\$2 with attenuat\$)	IBM_TDB US-PGPUB: USPAT; EPO: JPO: DERWENT	OR	ON	2004/07/28 16:53
S35	71	((multimode or multi?mode or (multiple with mode)) with optic\$4 with fiber) and ((even\$2 or constant\$2 or uniform\$3) with mod\$2 with (attenuat\$ or absor\$))	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/28 16:53
536	2	((multimode or multi?mode or (multiple with mode)) with optic\$4 with fiber) and ((vary\$ or variable) with length with attenuat\$ with coefficient)	; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/28 16:53
S37	2	((multimode or multi?mode or (multiple with mode)) with optic\$4 with fiber) and ((vary\$ or vari\$4) with length with (attenuat\$ or absor\$) with coefficient)	; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/28 17:08
538	34	((multimode or multi?mode or (multiple with mode)) with optic\$4 with fiber) and (select\$5 with mod\$2 with attenuat\$)	; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/28
539	2	("4834496").PN.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2002/07/24 12:09
S40	5	("4321057").PN:	; IBM_TDB US-P6PUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2002/07/24 15:53

541	1078	(385/12).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 17:04
542	1837	(385/100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 17:04
S43	194	(385/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/07/10 17:04
544	964	(385/141).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 17:05
S45	540	(385/142).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/07/10 17:05
546	295	(385/144).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/07/10 17:05
S47	665	(385/122).CO.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 17:05
S48	1711	(385/123).CC.S.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/07/10 17:05
549	418	(385/126).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/07/10 17:05

S50	545	(385/127).CCL.S.	US-PGPUB; USPAT;	OR	OFF	2003/07/10 17:05
			USOCR; EPO; JPO; DERWENT ;			
			IBW_LDB			
S51	624	(385/128).CCLS.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:05
			IBM_TDB			0000 (07 (40
S52	900	(436/805). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:06
			IBW_LDB			
S53	672	(436/527).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:06
			IBM_TOB			
S54	1572	(356/73.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:06
			; IBM_TOB			
S55	1283	(356/445).ca.s.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:06
			; IBM_TDB			
S56	494	(250/227.14).CO.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/07/10 17:06
			IBM_TDB			
S57	134	(250/227.18).CCLS.	US-PGPUB; USPAT; USOCR;	OR	OFF	2003/07/10 17:06
			EPO; JPO; DERWENT ; IBM_TDB			
S58	135	(324/534).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2003/07/10 17:06
			IBW_LDB			

S59	238	(324/544).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/07/10 17:07
560	778	(340/605).CCL.S.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/11 10:40
S61	901	(436/805).CQ.5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2002/07/25 15:38
562	307	((436/805).CCLS.) and fiber	US-PGPUB: USPAT: EPO: JPO: DERWENT : IBM_TDB	OR	ON	2002/07/25 15:38
563	672	(436/527).CCLS.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2002/07/25 15:47
564	231	((436/527):CQLS.) and fiber	US-PGPUB: USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2002/07/25 15:47
S65	1283	(356/445). <i>CC</i> L.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/07/25 15:59
566	274	((356/445):CCLS:) and fiber		OR	OZ	2002/07/25 15:59
567	778	(340/605). <i>CC</i> L.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2002/07/25 17:15
S68	84	((340/605).CCLS.) and fiber		OR .	ON	2002/07/25 17:18

569	242716	fiber near optic\$	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2002/07/25 17:20
			IBW_TDB			
S70	15488	multimode or (multi?mode) or (multi adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/01 18:43
			IBM_TDB			
571	1131055	absor\$	US-P6PUB; USPAT; EPO; JPO; DERWENT	OR	ON	2002/07/25 17:21
			IBM_TDB			
572	4979	evanescen\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2002/07/25 17:21
			ÍBM_TDB			
573	2163	absor\$ and evanescen\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2002/07/25 17:21
			IBM_TDB			
S74	7063	(fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))	US-P6PUB; USPAT; EPO; JPO; DERWENT	OR	ON	2002/07/25 17:21
			; IBM_TDB			
S75	11	lieberman and egalon	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2003/01/14 16:26
			IBM_TDB			
S76	1267749	distribut\$	US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2002/07/25 18:04
			IBM_TDB			
577	2939	((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))) and distribut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2002/07/25 18:05
578	1227	(((fiber near optic\$) and (multimode or (multi?mode) or (multi adj	IBM_TOB US-PGPUB;	OR	ON	2002/07/25
J, 0	1667	mode))) and distribut\$) and absor\$	USPAT: EPO: JPO: DERWENT	UK .	UN	18:06
			IBM_TDB			
S79	453	((((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))) and distribut\$) and absor\$) and compensat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2002/07/25 18:06
			IBW_LDB			

580	425	(((((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))) and distribut\$) and absor\$) and compensat\$) and length	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2002/07/25 18:13
581	335	((((((fiber near optic\$) and (multimode or (multi?mode) or (multi adj mode))) and distribut\$) and absor\$) and compensat\$) and length) and (refract\$ near index)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2002/07/25 18:14
582	3	("4560248").PN.	IBM_TD8 US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT:	OR	OFF	2002/07/26 16:20
583	1143	(385/12).CCL5.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/01/13 12:22
584	1945	(385/100). <i>CCLS</i> .	IBM_TOB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ;	OR	OFF	2003/01/13 12:40
585	208	(385/106).CCL.S.	IBM_TDB US-PGPUB: USPAT: USOCR; EPO: JPO: DERWENT: : IBM_TDB	OR	OFF	2003/01/13 12:41
586	1011	(385/141).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 12:43
587	571	(385/142).CCLS.	US-P6PUB: USPAT: USOCR: EPO: JPO: DERWENT:	OR	OFF	2003/01/13 12:45
588	309	(385/144).CCLS.	US-PEPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2003/01/13 12:49

S89	711	(385/122).CO.S.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 13:15
590	1903	(385/123). <i>CO</i> S.	US-PEPUB; USPAT; USOCR; EPO: JPO; DERWENT; IBM_TDB	OR .	OFF	2003/01/13:13:18
591	451	(385/126).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 13:39
592	614	(385/127).ca.5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TD8	OR	OFF	2003/01/13 13:45
593	669	(385/128).CCL.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 13:49
594	698	(436/527).CCL.S.	US-PEPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2003/01/13 13:54
S95	916	(436/805).Ca.s.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 13:57
596	1666	(356/73.1).COLS.	US-PEPUB; USPAT; USOCR; EPO; JPO; DERWENT; ;	OR .	OFF	2003/01/13 13:58
597	1338	(356/445).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/01/13 14:11

598	520	(250/227.14).CCLS.	US-PGPUB; USPAT;	OR	OFF	2003/01/13 14:14
			USOCR; EPO; JPO; DERWENT ;			
			IBW_LDB			
599	143	(250/227.18).COLS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/01/13 14:17
			CERWEIN			
			IBM_TDB			
S100	140	(324/534).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/01/13 14:21
			IBM_TOB			
5101	243	(324/544).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/01/13 14:22
			: IBM_TDB			
5102	792	(340/605).Ca.s.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/01/13 14:44
			; IBM_TDB			
5103	24319	(attenuat\$ or absor\$5) with uniform\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/13 14:48
5104	1444	((attenuat\$ or absor\$5) with uniform\$) and (optic\$2 with fiber)	US-PGPUB; US-PGTUB; USPAT; EPO; JPO;	OR	ON	2003/01/13 14:46
			DERWENT ;			
			IBM_TDB			
S105	1192	(((attenuat\$ or absor\$5) with uniform\$) and (optic\$2 with fiber)) and (length or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/13 14:47
			IBM_TDB			
S106	740	((attenuat\$ or absor\$5) with (uniform\$ or constant)) same (optic\$2 with fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/13 14:49
			IBW_TDB			
S107	809	((attenuat\$ or absor\$5 or (power with loss)) with (uniform\$ or constant)) same (optic\$2 with fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/13 15:53
			: IBM_TDB			

S108	579	(((attenuat\$ or absor\$5 or (power with loss)) with (uniform\$ or constant)) same (optic\$2 with fiber)) and (length or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/13 14:50
			IBW_TDB			
5109	335319	(optic\$2 with:fiber) or waveguide	US-P6PUB; USPAT; EPO: JPO; DERWENT	OR	ON	2003/01/14 08:07
			IBM_TDB			
S110	559	((optic\$2 with fiber) or waveguide) and ((constant\$ or uniform\$) with ((power with loss) or attenuat\$ or absor\$5) with (length or distance))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2003/01/14 09:10
			IBW_TDB			
S111	57	(((optic\$2 with fiber) or waveguide) and ((constant\$ or uniform\$) with ((power with loss) or attenuat\$ or absor\$5) with (length or distance))) and (multi?mode or multimode or (multi adj mode))	US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2003/01/14 08:22
			IBM_TDB			
S112	2776	((optic\$2 with fiber) or waveguide) and (distribut\$ with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 09:11
			IBM_TDB			
S113	7	(((optic\$2 with fiber) or waveguide) and (distribut\$ with sensor)) and (response with length with (constant\$ or uniform\$))	US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	ON	2003/01/14 09:32
			: IBM TDB			
S114	3	("4321057" "4834496" "5737472").PN.	USPAT	OR	0N	2003/01/14 09:27
S115	67	(((optic\$2 with fiber) or waveguide) and (distribut\$ with sensor)) and (loss with compensat\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 09:49
			IBM_TDB			
S116	7	(((optic\$2 with fiber) or waveguide) and (distribut\$ with sensor)) and (spatial\$ with transient\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 10:00
			IBM_TDB			
S117	88	((optic\$2 with fiber) or waveguide) and (multi2mode or multimode or (multi adj mode)) and (core with clad\$4 with ratio with refract\$ with	US-PGPUB; USPAT;	OR	ON	2003/01/14:11:20
		index)	EPO; JPO; DERWENT			
			IBM_TDB			
S118	32	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with core with diameter with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 10:51
			; IBM_TDB			

S119	0	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with core with clad\$4 with refract\$ with length with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 10:52
			; IBM_TDB			
S120	7	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with core with clad\$4 with refract\$ with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 10:55
			IBM_TDB			
S121	8	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with absor\$ with coefficient with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 11:13
			IBW_TDB			
5122	2	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with extinct\$ with coefficient with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 11:14
			: IBM_TDB			
S123	11	((optic\$2 with fiber) or waveguide) and (multi?mode or multimode or (multi adj mode)) and (increas\$ with scatter\$ with coefficient with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 11:15
			; IBM_TDB			
S124	21	((optic\$2 with fiber) or waveguide) and (core with clad\$4 with ratio with refract\$ with index with increas\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 11:25
			: IBM_TDB			
5125	414	((optic\$2 with fiber) or waveguide) and (grad\$5 with core with diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 11:27
			: IBM_TDB			
S126	169	(((optic\$2 with fiber) or waveguide) and (grad\$5 with core with diameter)) and (attenuat\$ or absor\$5)	US-PGPUB; USPAT; EPO: JPO; DERWENT	OR	OX	2003/01/14 11:57
			IBM_TDB			
S127	4	("4232938").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2003/01/14 11:59
			DERWENT; IBM_TDB			
5128	221	((optic\$2 with fiber) or waveguide) and (attenuat\$ with unit with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14:13:10
			; IBM_TDB			

Use Use	5129	0	"128" and (constant\$ or uniform\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/01/14 12:01
Si31	S130	156		US-PGPUB: USPAT; EPO; JPO;	OR	ON	
length) and ((constant\$ or uniform\$) with length S132				IBM_TDB			
Si32 448 (loptic\$2 with fiber) or waveguide) and ((attenuat\$ or absor\$5) with US-P\$PUB; OR ON 2003/01/14 15:47	5131	48		USPAT; EPO; JPO; DERWENT ;	OR	ON	2003/01/14 13:12
Si33 122 (((optic\$2 with fiber) or waveguide) and ((ottenuat\$ or absor\$5) with US-P6PUB; USPAT; PPO; JPO; DERWENT IBM_TDB IBM_TDB	5132	448		US-PGPUB: USPAT; EPO: JPO; DERWENT	OR .	ON	
1953 1953	S133	122		US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2003/01/14 13:13
S135 1013 (lieberman or egalon) and ((optic\$2 with fiber) or waveguide)	5134	19531	lieberman: or egalon	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	
Si36 95 liebermon-r\$.in. or egalon-c\$.in. US-P6PUB: USPAT; EPO. JPO: DERWENT 16:27 16:27	S135	1013	(lieberman or egalon) and ((optic\$2 with fiber) or waveguide)	US-P6PUB; USPAT; EPO; JPO; DERWENT;	OR	ON	l .
S137 S9 (lieberman-r\$.in. or egalon-c\$.in.) and ((optic\$2 with fiber) or waveguide)	S136	95	lieberman-r\$.in. or egalon-c\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	
Si38 864 (optic\$4 with fiber) and (attenuat\$ with linear\$) US-PGPUB;	S137	59		US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	
S139 1821 (optic\$4 with fiber) and (attenuat\$ with (linear\$ or constant))	S138	864	(optic\$4 with fiber) and (attenuat\$ with linear\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ÖN	
	S139	1821	(optic\$4 with fiber) and (attenuat\$ with (linear\$ or constant))	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2003/07/11 10:51

S140	24	((optic\$4 with fiber) and (attenuat\$ with (linear\$ or constant))) and (core with clad\$4 with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2003/07/11 10:44
S141.	7	("3931518" "4253727" "4586783" "4749248" "4781428"	IBM_TDB USPAT	OR	ON	2003/07/11
S142	6	"6282341" "6408117")PN. (optic\$4 with fiber) and (attenuat\$ with coefficient with length with constant)	US-PGPUB; USPAT; EPO; JPO; DERWENT ;	OR	ON	2003/07/11 10:55
S143	139	(optic\$4 with fiber with sensor) and (attenuat\$ with coefficient)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/07/11 10:58
5144	3	("4321057" "4834496" "5737472").PN.	IBM_TDB USPAT	OR	ON	2003/07/11 11:21
S145	165	(astrost 4034490 3737472).Th. (optic\$4 with fiber) and ((even or constant) with mod\$2 with attenuat\$)	US-P6PUB: USPAT; EPO; JPO; DERWENT; ;	OR	ON	2003/07/11 12:32
S146	2	("4575730" "4644369").PN.	USPAT	OR	ON	2003/07/11 12:17
S151	1455	(385/12).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:31
S152	2137	(385/100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:31
S153	230	(385/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/01 13:32
S154	1208	(385/141).CCL5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ;	OR	OFF	2005/02/01 13:32
S155	702	(385/142).CCLS.	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:32

S156	370	(385/144). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2005/02/01 13:32
S157	882	(385/122).CCLS.	US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: : IBM_TOB	OR	OFF	2005/02/01 13:32
S158	2629	(385/123). <i>CCLS</i> .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:32
S159	583	(385/126).cc.5.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2005/02/01 13:32
5160	883	(385/127).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:32
S161	853	(385/128).CCLS.	US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: : IBM_TDB	OR	OFF	2005/02/01 13:32
5162	809	(436/527).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:32
S163	1028	(436/805).Ca.5.	US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: : IBM_TDB	OR	OFF	2005/02/01 13:32
5164	1934	(356/73.1). <i>CC</i> LS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; ; IBM_TDB	OR	OFF	2005/02/01 13:32

S165	1623	(356/445).CQ.S.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:32
S166	656	(250/227.14),CQLS.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	ØR .	OFF	2005/02/01
S167	180	(250/227.18).COLS.	IBM_TOB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TOB	OR	OFF.	2005/02/01 13:33
5168	192	(324/534).CCLS.	US-PGPUB: USPAT; USOCR; EPO: JPO: DERWENT :	OR	OFF	2005/02/01
S169	295	(324/544).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01 13:33
5170	1022	(340/605).CCLS.	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/01
S171	1535	(multimode or multi?mode or (multi mear3 mode) or (multiple near3 mode)) and (optic\$4 with (fiber or waveguide)) and (absor\$ with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TD8	OR	ON	2005/02/02 09:01
S172	317	(multimode or multi?mode or (multi mear3 mode) or (multiple near3 mode)) and ((optic\$4 near4 (fiber or waveguide)) with absor\$ with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON.	2005/02/01 18:46
S173	137	S172 and core and clad\$4 and (length or distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/01 18:46
5174	434	(multimode or multi?mode or (multi mear3 mode) or (multiple near3 mode)) and (optic\$4 with (fiber or waveguide)) and (constant\$2 with (absor\$ or attenuat\$ or loss) with (length or distance))	US-PGPUB; USPAT: EPO: JPO: DERWENT : IBM_TDB	OR	ON	2005/02/02 09:02

	5175	117	5174 and core and clad\$4	US-PGPUB;	OR	ON	2005/02/02
				USPAT;			09:02
				EPO; JPO;			
				DERWENT			
				;			
-				IBW_TDB			